
Life Saving Goals of Newborn Screening

Federal recommendations say to save babies we must meet this timeline:



- 54 different conditions or hidden disorders
 - o Baby will usually look normal and healthy at birth
 - Newborn screen is only way to know if they may get sick or die
 - Once baby starts to get sick damage may not be reversible
- Some babies only have a few hours before they start to get very sick
- Some will die within the first few days of life without our help
- 90 to 100 babies identified with condition each year
- It takes all of us working together as a team to save lives
 - o Hospital staff collect the specimen and have it ready
 - Courier staff pick up specimen and take to PHL ASAP
 - Lab staff test and report
 - Nurses at Health Department contact Pediatrician & Specialist
 - Pediatrician & Specialist confirm disorder & get baby on treatment

Amino Acid Disorders

Time Critical: Baby can die at 3 days old

Signs and
Symptoms:
seizures, low
muscle tone,
lethargy, coma,
developmental
delay,
ketosis, too
much amonia in
blood, low
blood sugar,
and metabolic
acidosis

Biotinidase Deficiency

Treatment will make baby feel a lot better

Signs and Symptoms: no energy, low muscle tone, seizures, lack of control of body movements, and patchy red skin

Classic Galactosemia

Time Critical:
Every day
untreated
increases
amount of
mental and/or
physical
disability

Signs and
Symptoms:
vomiting,
diarrhea, yellow
skin and whites
of eyes,
cataracts,
liver failure, and
wide spread
infection

Congenital Adrenal Hyperplasia

Time Critical: Days matter especially boys

Signs and
Symptoms:
infant's
external
genitals don't
appear male
or female, salt
loss, and
blood pressure
issues

Congenital Hypothyroidism

Need treatment within 2 weeks of life

Signs and Symptoms: larger than normal baby, enlarged head, skeletal delay, hoarse cry, dry skin, and constipation

Cystic Fibrosis

Fatty Acid Disorders Sever Combined Immunodeficiency

Hemoglobinopathies

Organic Acid Disorders

Early treatment can help with lung problems and digestion Time Critical: Babies can die in their sleep within a few days of life Need bone marrow transplant by 3 months of age - takes a while to find a match Treatment to prevent infections and pain is needed

Time Critical:
Babies can die
in their sleep
within a few
days of life

Signs and Symptoms: coughing, wheezing, respiratory infections, and poor weight gain Signs and Symptoms: low ketones and low blood sugar during fasting, liver failure, coma, and low muscle tone

Signs and Symptoms: Infections that won't go away, yeast infection in the mouth and throat Signs and
Symptoms:
blocked or
damaged
blood vessels,
respiratory
failure, stroke,
fever, low # of
red blood
cells, wide
spread
infections,
temporarily
stop making
red blood cells

Signs and Symptoms: vomiting, coma seizures, low blood sugar, low muscle tone, loss of control of body movements, and death while sleeping.